PRICE LIST


OF

U. S. STANDARD

Boxwood and Ivory Rules,

LEVELS, TRY SQUARES, GAUGES, IRON AND WOOD BENCH PLANES, MALLETS, HAND SCREWS, SPOKE SHAVES, SCREW DRIVERS, ETC.

MANUFACTURED BY THE



STANLEY RULE AND LEVEL CO., NEW BRITAIN, CONN.

WAREHOUSE, NO. 55 CHAMBERS ST. NEW YORK.

January, 1872.

Office of

THE STANLEY RULE & LEVEL CO.

New Britain, Conn. January 1, 1872.

Gentlemen:

We have pleasure in calling your attention to the extensive assortment of first-class Tools, etc., manufactured by us, more perfectly illustrated and classified in the Catalogue now presented, than heretofore. Our purpose will still be to excel in the uniform standard of all Goods produced by us, and to offer superior inducements and facilities for their general distribution amongst the Trade.

We shall be represented at our Warehouse NO. 55 CHAMBERS ST. NEW YORK, by Mr. CHARLES L. MEAD, Treasurer of the Company, and orders will receive prompt attention at the Warehouse, or at the Factory.

Respectfully,

STANLEY RULE & LEVEL CO.

EXPLANATION.

All Rules embraced in the following Lists, hear the Invoice Number by which they are sold, and are graduated to correspond with the description given of each.


BOXWOOD RULES.

ONE FOOT, FOUR FOLD, NARROW.



No. 69.

| No. | | | Per Doz. |
|-----|--|--|----------|
| 69. | Round Joint, Middle Plates, 8ths and 16ths of inches, § inch wide, | | \$3.00 |



No. 64.

| 65. | Square | Joint, | Middle | Plates, | 8ths | and | 16ths of | inches, | 8 | inch | wide, | | | 3.50 |
|-------------------|--------|--------|--------|---------|-------|-------|------------|---------|---|------|-------|--|--|-------|
| 64. | 46 | 66 | Edge | 66 | 44 | 44 | 66 | 6. | 5 | 44 | 44 | | | 5.00 |
| $65\frac{1}{2}$. | Square | Joint, | Bound, | 8ths ar | id 16 | ths o | of inches, | | 5 | 44 | *6 | | | 11.00 |



No. 57.


| 55. | Arch | Joint, | Middle | Plates, | 8ths | and 1 | 6ths of | inches, | å i | nch | wide, | | | 4.00 |
|-----|------|--------|--------|----------|------|--------|---------|---------|-----|-----|-------|--|--|-------|
| 56. | 4.6 | 66 | Edge | 46 | 66 | 66 | 66 | 64 | | 66 | | | | 6.00 |
| 57. | Arch | Joint, | Bound, | 8ths and | d 16 | ths of | inches | , | 8 | | 44 | | | 12.00 |

TWO FEET, FOUR FOLD, NARROW.

| 1 | 1 10 | Nº 68 | 9 | 8 | ry |
|----------|--------|-------|-----|-----|-----|
| | | | 1 | | C |
| | | | 1 | | |
| • 8 | I , DI | G | I O | T 2 | т - |
| Tel Till | TITITI | TITT | | 4 | |
| | | | | | |


No. 68.

| TAO. | | | | | | |
|------|--|--|---|------|-------|----------|
| 68. | Round Joint, Middle Plates, 8ths and 16ths of inches, | | | | | Per Doz. |
| 8. | Round Joint, Middle Plates, Extra Thick, 8ths and 16ths of inches, | | 1 | inch | wide. | * 3.50 |
| | Tates, Extra Thick, 8ths and 16ths of inches, | | 1 | 4.6 | 44 | 4 00 |



No. 63.


| 0.4 | | | | | |
|--------------------------|--|---|------|-------|-------|
| 61. 61 1 . | Square Joint, Middle Plates, 8ths and 16ths of inches, Square Joint, Middle Plates, 8ths and 16ths of inches, | 1 | inel | wide. | 4.50 |
| 00 | equate 50m, Middle Plates, 8ths and 16ths of inches. | | ++ | | |
| 63. | Square Joint, Edge Plates Sths 10ths and 10th - 6: 1 | 4 | | ** | 5,50 |
| 634. | Square Joint, Edge Plates, 8ths, 10ths and 16ths of inches, Drafting Scale, | 1 | | 6. | 7.00 |
| | The states, 8ths, 10ths and 16ths of inches Free and 1 | # | ** | ** | 8.00 |
| 62. | Square Laint Bound and Johns of Inches, Drafting Scale, | 1 | 66 | 8.6 | 12.00 |
| | Square Joint, Bound, 8ths and 16ths of inches, Drafting Scale, | 1 | 64 | 4.6 | 15.00 |




No. 52.

| 53. | Arch Joint, Middle Plates, 8ths and 16ths of inches, Drafting Scale, | 1 | inch | wide, | 6.00 |
|-----|--|---|------|-------|-------|
| 52. | Arch Joint, Edge Plates, 8ths, 10ths and 16ths of inches, Drafting Scale, Arch Joint, Half Bound, 8ths and 16ths of inches, Drafting Scale, Arch Joint, Parent Scale, 18th Arch Joint, Par | 1 | 66 | 4.6 | 8.00 |
| 54. | Arch Joint, Bound, 8ths and 16ths of inches, Drafting Scale, | 1 | 66 | 44 | 13.00 |
| 59. | Double Arch Joint, Bitted, 8ths and 16ths of inches, Drafting Scale, | 1 | 66 | 66 | 16.00 |
| 60. | Double Arch Joint, Bound, 8ths and 16ths of inches, Drafting Scale, | 1 | 44 | 46 | 9.00 |
| | Bound, oths and foths of inches, Drafting Scale, | 1 | 66 | 66 | 21.00 |

TWO FEET, FOUR FOLD, BROAD.




| | No. 70. | | | | |
|-------------------|---|----|------|-------|----------|
| No. | | | | | Per Doz. |
| 67. | Round Joint, Middle Plates, 8ths and 16ths of inches, | 13 | inch | wide. | \$ 5.00 |
| 70. | Square Joint, Middle Plates, 8ths and 16ths of inches, Drafting Scale, | 18 | ** | * * | 7.00 |
| 72. | Square Joint, Edge Plates, 8ths, 10ths and 16ths of inches, Drafting Scale, | 18 | 4.4 | ** | 9.00 |
| $72\frac{1}{2}$. | Square Joint, Bound, 8ths, 10ths and 16ths of inches, Drafting Scale, | 15 | 4- | ** | 18.00 |



No. 75.


| 73. | Arch Joint, Middle P ates, 8ths and 16ths of inches, Drafting Scale, | 1\frack inch wide, | 9.00 |
|-----|---|--------------------|-------|
| 75. | Arch Joint, Edge Plates, 8ths, 10ths and 16ths of inches, Drafting Scale, | 18 " " | 11.00 |



No. 78½.

| 76. | Arch Joint, Bound, 8ths, 10ths and 16ths of inches, Drafting Scale, | 15 | inch | wide. | 20,00 |
|-------------------|---|----|------|-------|-------|
| 77. | Double Arch Joint, Bitted, 8ths, 10ths and 16ths of inches, Drafting Scale, | 18 | 44 | *6 | 12.00 |
| 78. | Double Arch Joint, Half Bound, 8ths, 10ths and 16ths of inches, Dr. Scale, | 14 | 46 | 4.6 | 20.00 |
| 78 1 . | Double Arch Joint, Bound, 8ths, 10ths and 16ths of inches, Drafting Scale, | 18 | 44 | * 6 | 24,00 |
| | Arch Joint, Edge Plates, with Gunter's Slide, 8ths, 10ths, 12ths and 16ths | | | | |
| | ches, 100ths of a foot, and Octagonal Scales, | 1# | 46 | 6.0 | 14,00 |

TWO FEET, SIX FOLD.



No. 58.

No.
58. Arch Joint, Edge Plates, 8ths and 16ths of inches, \(\frac{1}{4}\) inch wide, \(\frac{1}{8}\) 13.00

BOXWOOD CALIPER RULES.


No. 32.

| | 36. 32. | Square Joint, 2 Fold, 6 inch, 8ths and 16ths of inches, Arch Joint, Edge Plates, 4 Fold, 12 inch, 8ths, 10ths and 16ths of inches, | inch " | wide, | 7.00 12.00 |
|---|--------------------------|---|---------------|-------|-------------------------|
| | | THREE FEET, FOUR FOLD RULES. | | | |
| | 66. 66 1 . | 4 " Sthe and 16th at 1 | 1 inch 1 " | wide, | 8.00 8.00 |
| | | SHIP CARPENTERS' BEVELS. | | | |
| | 42. 43. | Boxwood, Double Tongue, 8ths and 16ths of inches, "Single " " " " " | | | 6.00 6.00 |
| | | BOARD MEASURE, TWO FEET, FOUR FOLD. | | | |
| 8 | 79. 31. 32. | Square Joint, Edge Plates, 16ths of inches, Drafting Scale, 1\frac{8}{5} inch wide, Arch " " " " " " " \frac{1\frac{5}{5}}{6} " " " " Bound, " " " " \frac{1\frac{5}{6}}{6} " " | | | 11.00 13.00 22.00 |

TWO FEET, TWO FOLD.

| No. 29. | Round Joint, 8ths and 16ths of inches, | 18 | inch | wide, | Per Doz. \$ 3.50 |
|------------|--|----------------|------|-------|------------------|
| 18. | Square " " " " " | 11 | 66 | 66 | 5.00 |
| 22. | " Bitted, Board Measure, 16ths of inches, and Octagonal | | | | |
| | Scales, | 11 | 4- | 6.5 | 8.00 |
| 1. | Arch Joint, 8ths and 16ths of inches, Octagonal Scales, . | $1\frac{1}{2}$ | 4.6 | 4.6 | 7.00 |
| 2. | " Bitted, 8ths, 10ths and 16ths of inches, Octagonal Scales, | 11 | 6.6 | ** | 8.00 |
| 4. | " Extra Thin, 8ths and 16ths of inches, Drafting and | | | | |
| | Octagonal Scales, | 11 | 66 | ** | 10.00 |
| 5. | Arch Joint, Bound, 8ths, 10ths and 16ths of inches, Drafting and | | | | |
| | Octagonal Scales, | 11 | ** | 44 | 16.00 |

TWO FEET, TWO FOLD, SLIDE.



No. 12.

We have just had prepared an improved Treatise on the Gunter's Slide and Engineers' Rules, showing their utility and containing full and complete instructions, enabling mechanics to make their own calculations. It is also particularly adapted to the use of persons having charge of cotton or woolen machinery, surveyors and others. 200 pages, bound in cloth. Price \$1.00, net. Sent by mail, postpaid, on receipt of the price.

| No. | | | | | Per Doz. |
|-----|---|----------------|------|----------|-----------|
| 26. | Square Joint, Plain Slide, 8ths, 10ths and 16ths of inches, Octagonal Scales, | $1\frac{1}{2}$ | inch | wide, | \$ 9.00 |
| 27. | Square Joint, Bitted, Gunter's Slide, 8ths, 10ths and 16ths of inches, 100ths of a foot, Drafting and Octagonal Scales, | 11 | 46 | 44 | 12,00 |
| 12. | Arch Joint, Bitted, Gunter's Slide, 8ths, 10ths and 16ths of inches, 100ths of a foot, Drafting and Octagonal Scales, | $1\frac{1}{2}$ | 46 | 46 | 14.00 |
| 15. | Arch Joint, Bound, Gunter's Slide, 8ths, 10ths and 16ths of inches, Drafting and Octagonal Scales, | 11 | 46 | 44 | 24.00 |
| 6. | Arch Joint, Bitted, Gunter's Slide, Engineering, 8ths, 10ths and 16ths of inches, 100ths of a foot, Octagonal Scales, | 11 | 44 | " | 18.00 |
| 16. | Arch Joint, Bound, Gunter's Slide, Engineering, 8ths, 10ths and 16ths of inches, Octagonal Scales, | 11 | 46 | 46 | 28.00 |
| | TWILL I I I I I I I I I I I I I I I I I I | Pulon i | morl | rod with | French or |

With recently constructed machinery, we can furnish, to order, Rules marked with French or Spanish graduations.

IVORY RULES.

SIX INCH, TWO FOLD, CALIPER.



| No. | No. 38. | |
|-----|--|-------------------|
| 38. | | Per Doz. \$ 15.00 |
| | IVORY, ONE FOOT, FOUR FOLD, CALIPER. | |
| 39. | 16th Lag Flates, German Silver, 4 Fold, 12 inch, 8ths, 10ths and | |
| 40. | Square Joint, German Silver, Bound, 4 Fold, 12 in Sths and 16ths of inches, $\frac{\pi}{8}$ " " | 38.00 44.00 |
| | IVORY, ONE FOOT, FOUR FOLD. | |
| 90. | and little of health | |
| 357 | . Square Joint, German Silver, Middle Plates, Sthe and 16st 2 :- 1 | 10,00 |
| 92. | A Tunity with the triban Street Friend Plates, Selver 1 1991 | 14.00 |
| 881 | . HILL WORTH, OPPINED SHEEP PRINTED Stl., 1 10-1 0 | 17.00 |
| 88. | Arch Joint, German Silver Round Selvand Leat e. | 21.00 |
| 91. | Square Joint, German Silver, Edge Districted the Square Joint German Silver, Edge Districted the Square Squ | 32.00 |
| | Square Joint, German Silver, Edge Plates, 8ths, 10ths and 16ths of inches, 4 " " | 23,00 |
| | IVORY, SIX INCH, TWO FOLD. | |
| 93. | Round Joint, Brass, 8ths and 16ths of inches, | 4.50 |
| | IVORY, TWO FEET, FOUR FOLD. | |
| 85. | Square Joint, German Silver, Edge Plates, 8ths, 10ths and 16ths of inches, \$\frac{1}{8}\text{ inch wide,} | |
| 86. | of a foot. Drafting Scale | 54.00 |
| 87. | Arch Joint, German Silver, Bound, 8ths, 10ths and 16ths of inches, Drafting Scale, | 64.00 |
| 89. | Double Arch Joint, German Silver, Bound, 8ths 10ths and 16ths of in land | 80,00 |
| 95. | Arch Joint, German Silver, Bound, 8ths, 10ths and 16ths of inches Drotting | 92.00 |
| 97. | Double Arch Joint, German Silver, Bound 8ths 10ths and 18th " | 102.00 |
| | Drafting Scale,, 18 and 10ths of inches, | 116.00 |

1.25

1.50

Bench Rules. Per Doz. No. 2 feet, \$ 3.00 34. Bench Rules, Board Measure, 6.00 35. Board and Log Measures. Note.—The following Numbers give the contents in Board Measure of 1 inch Boards. Nos. 431, 46, 461, 47, 471, 48, 49. DIRECTIONS.—Place the stick across the flat surface of the Board, bringing the inside of the Cap snugly to the edge of the same; then follow with the eye the column of figures in which the length of the Board is given as the first figure under the Cap, and at the mark nearest the opposite edge of the Board will be found the contents of the Board in feet. 100 No. 46. 2 feet, \$8.00 46. Board Stick, Octagon, Brass Cap, 16 lines, 8 to 23 feet, No. 461. 2 feet, 8.00 461. Board Stick, Square, 16 lines, 8 to 23 feet, 66 3 66 12.00 Octagon, 12.00 Square, No. 431 431. Board Stick, Flat, Hickory, Cast Brass Head and Tip, 6 lines, 12 to 22 feet, 3 feet, 12.00 No. 49. 49. Board Stick, Flat, Hickory, Steel Head, Brazed, Extra Strong, 6 lines, 12 to 22 feet, 3 feet, 26.00 No. 48. Walking Cane, Board Measure, Octagon, Hickory, Solid Cast Brass Head and 3 feet, 12.00 Tip, 8 lines, 9 to 16 feet, Walking Cane, Log Measure, Octagon, Hickory, Solid Cast Brass Head and Tip, 3 feet, 15.00 Note.—This Log Measure gives the number of feet of one inch, square edged boards, which can be sawed from a log of any size, from 12 to 36 inches diameter, and of any length. The figures immediately under the head of the Cane, are for the length of Logs in feet. Under these figures, on the same line, at the mark nearest the diameter of the Log, will be found the number of feet the Log will make. If the Log to be measured is not over 15 feet long, the diameter should be taken at the small end; if over 15 feet, at the middle of the Log. Yard Sticks. 2.00 Yard Stick, Polished, 33 3.50 Brass Tip, Polished, 41. 4.50 Hickory, Brass Capped Ends, Polished, 50. Wantage and Cauging Rods. 5.00 Wantage Rods, 8 lines, 44. 7.00 37. 12 " 3 feet, 7.00 120 gallons, 45. Gauging 18.00 451 Wantage Tables, 24.00 491. Forwarding Sticks, School Rules.


Boxwood, 12 inch, 4 inch wide, Beveled Edge, 8ths and 16ths of inches,

10ths "

98.

99

STEARNS' RULES.



Special attention is requested to the List of Stearns' Rules. Many of the styles are distinct from those of any other manufacturer, and all are highly regarded for their uniform standard of accuracy, and finish. Parties ordering from this List will please designate the numbers wanted, as "Stearns' Rules."

BOXWOOD RULES.

TWO FEET, TWO FOLD.

| | , = | |
|------|--|-----------|
| No. | | Per. Doz. |
| 1. | Arch Joint, Bound, Slide, Engineering, 10ths and 16ths of inches, 100ths of a foot, Drafting Scales, 11 in. wide, | \$28.00 |
| 9 | Drafting Scales, 1½ in. wide, Arch Joint, Bitted, Slide, Engineering, 10ths, 12ths and 16ths of inches, 100ths of a | ⊕20.0U |
| 2. | foot, Drafting Scales, | 18.00 |
| 3. | Arch Joint, Bound, Gunter's Slide, 10ths, 12ths, and 16ths inches, 100ths of a foot, | 10.00 |
| ٠,٠ | Drafting and Octagonal Scales, | 24.00 |
| ű. | Arch Joint, Bitted, Gunter's Slide, 10ths, 12ths and 16ths inches, 100ths of a foot, Draft- | 2100 |
| 4) - | ing and Octagonal Scales, | 14.00 |
| 7. | Arch Joint, Bitted, 8ths and 16ths of inches, Drafting and Octagonal Scales, 12 in. wide, | 8.00 |
| 9. | Square Joint, Slide (graduating 8ths of inches), 8ths and 16ths of inches, Drafting and | |
| | Octagonal Scales, | 9.00 |
| 11. | Square Joint, 8ths and 16ths of inches, $1\frac{1}{2}$ in. wide, | 5.00 |
| | TWO FEET, FOUR FOLD, BROAD. | |
| 14 | | |
| | Octagonal Scales, [see Engraving], 11 in. wide, | 24.00 |
| 15 | | |
| | Scales, | 22.00 |
| 17. | , , , , , , | 4 # 4.0 |
| 4.0 | a foot, Drafting and Octagonal Scales, | 15.00 |
| 18. | | 14.00 |
| 19. | inches, 100ths of a foot, Drafting and Octagonal Scales, 1½ in. wide, | 14.00 |
| 1 54 | Arch Joint, Triple Plated Edge Plates, Slide, 8ths, 10ths, 12ths and 16ths of inches, 100ths of a foot, Drafting and Octagonal Scales, | 15.00 |
| 20 | | 10.00 |
| 20 | of a foot, Drafting and Octagonal Scales, | 12.00 |
| 21 | | 12.00 |
| 21 | Scales, | 10.00 |
| - 32 | | |
| | Scales, | 8.00 |
| | TWO FEET, FOUR FOLD, MEDIUM. | |
| 22 | Arch Joint, Bound, Board Measure, 16ths of inches, Drafting Scales, 11 in. wide, | 20.00 |
| 23 | Arch Joint, Bound, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales, 11 in. wide, | 18,00 |
| 25 | | |
| , | foot, Drafting and Octagonal Scales, [see Engraving], 1; in. wide, | 13.00 |
| 26 | , | 11.00 |
| 27 | , | |
| | Scales, | 8.00 |

| TWO FEET, FO | UR FOLD, NARROW. |
|--|---|
| 210. | |
| 45. Arch Joint, Edge Plates, 8ths and 16ths of | nches Per |
| 40. Arch Joint, Middle Plates, 8ths and 16ths of | inches |
| or. Square Joint, Square Back Plates (Edge P | atos) Sthe and 1011 Ct |
| 35. Square Joint, Bound, 8ths and 16ths of incl | ares), 8ths and 16ths of inches, 1 " " |
| Scales, | ss, Draining and Octagonal |
| | . 1 44 11 |
| 37. Square Joint, Edge Plates, 8ths and 16ths of 38. Square Joint, Middle Plates, 8th, and 16th | inches, [see Engraving], 1 " " |
| 1 miles, of the state of the st | of inches, |
| 41. Round Joint, Middle Plates, 8ths and 16ths | of inches, 1 " " |
| TWO FEET, FOUR | OLD, EXTRA NARROW |
| 51. Arch Joint, Edge Plates, 8ths, 10ths and 16 | lu of inche. |
| 72. Arch Joint, Bound, 8ths, 10ths, 12ths and 10 | alter and a second |
| 33. Square Joint, Edge Plates, 8ths, 10ths and 1 | tall the same and |
| 36. Square Joint Middle Plate, ed. 1 1911 | oths of inches, |
| The state of the s | of involves |
| 44. Round Joint, Middle Plates, 8ths and 16ths | t inches |
| | r, six fold. |
| 284. Arch Joint, Edge Plates, 8ths, 10ths, 12ths an | 16ths of inches, 100ths of a foot 8 " " |
| ONE FOO | FOUR FOLD. |
| 29. Arch Joint, Bound, 8ths, 10ths, 12ths and 16 | he of the Land |
| , total, 12ths and 10 | ns of inches, [see Engraving], |
| 30. Arch Joint Edge Plates 8the 10th 10th | 13-16ths " " 13. |
| Arch Joint, Edge Plates, 8ths, 10ths, 12ths a a foot. | d 16ths of inches, 100ths of |
| | . 13-16tlis " " 8. |
| I have a lates, other and lothe of | nches, 13-16ths " " 6. |
| Tales, ollis and lottle of | inunes |
| 14. Square Joint, Bound, 8ths and 16ths of inch. | 0,. |
| 15. Square Joint, Middle Plates, oths and 16ths | inches " o l |
| 42. Round Joint, Middle Plates, (extra) 8ths and 1 | the inches for E |
| 43. Round Joint, Middle Plates, 8ths and 16ths o | |
| | 0.0 |
| 291 And Joint Pour Lord to 1 | R FOLD, CALIPER. |
| 291. Arch Joint, Bound, 8ths, 10ths, 12ths and 16th | ns of inches, . 13-16ths " " 18.6 |
| 2. Arch John, Edge Plates, 8ths, 10ths, 12ths an | 1 16ths of inches, 100ths of |
| a foot, [see Engraving], | 10 10.1 |
| CIV INCIV mar | 4.4.0 |
| 19 Communities D | FOLD, CALIPER. |
| 12. Square Joint, Brass Case, Spring Caliper, 8ths | and 16ths of inches, 11 " " 12.0 |
| - Square boint, one and forms of mehoe less F. | graving |
| 131. Square Joint, 8ths and 16ths of inches, | 19 10 1 |
| | - 13-16ths " " 7.0 |
| MISCELLANEC | US ARTICLES. |
| No. | OS ARTICLES. |
| 34. Bench Rule, Boxwood, Bound, 8ths and 16ths | f inches Per Doz |
| 34. Bench Rule, Maple, Capped Ends, 8ths and 16 | ments long, p 16.00 |
| 1. Yardstick, Maple, Capped Ends, | 7.00 |
| 0. Saddler's Rule Marle Conned Ford and | |
| | hs of inches, 11 in. wide, 36 " " 9.00 |
| 1 Pattern Maker's Chairle D. 1 7 | |
| 11. Pattern Maker's Shrinkage Rule Boxwood Sth | and 16ths of inches, 244 " " 12.00 |
| Pattern Maker's Shrinkage Rule, Boxwood, 8th Pattern Maker's Shrinkage Rule, Two Fold, Edge Plates, 8ths and 16ths of inches, | and 16ths of inches, 241 " " 12.00 Boxwood, Triple Plated 241 " " 18 00 |


IVORY RULES.

TWO FEET, FOUR FOLD, BROAD.

| No. | | Unbound. | Bound, |
|------------|--|-----------------|-----------|
| 47. | Arch Joint, Triple Plated Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches, 100ths of a foot on edges of unbound, Drafting and Octagonal Scales, | \$ 90.00 | \$ 110.00 |
| | IVORY, TWO FEET, FOUR FOLD, MEDIUM. | | |
| 48. | Arch Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches, (100ths of a foot on edges of unbound), Drafting Scales, $1\frac{1}{8}$ in. wide, | 70.00 | 88.00 |
| | IVORY, TWO FEET, FOUR FOLD, NARROW. | | |
| 50. | Square Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches, (100ths of a foot on edges of unbound), Drafting Scales, 1 inch wide, | 60,00 | 76.00 |
| | IVORY, TWO FEET, FOUR FOLD, EXTRA NARROW. | | |
| 56, | Arch Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches, (100ths of a foot on edges of unbound), . \dft\frac{2}{4}\text{ inch wide,} | 54.00 | 68.00 |
| | IVORY, TWO FEET, SIX FOLD. | | |
| 60, | Arch Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches, (100ths of a foot on edges of unbound), | 80.00 | 100.00 |
| | IVORY, ONE FOOT, FOUR FOLD. | | |
| 51. 52. | Arch Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches, (100ths of a foot on edges of unbound), [see Engraving], 13-16ths in. wide Square Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches, | e, 30.00 | 42.00 |
| | (100ths of a foot on edges of unbound), 13-16ths in. wide, | 26.00 | 38.00 |
| 57. | Square Joint, Edge Plates, German Silver, 8ths and 16ths of inches, [see Engraving], 5-8ths in. wide, | 18.00 | 30.00 |
| 58. | Square Joint, Edge Plates, Brass, 8ths and 16ths of inches, 5-8ths " " | 15.00 | |
| 59, | Round Joint, Middle Plates, Brass, 8ths and 16ths of inches, [see Engraving], 9-16ths in. wide, | 10.00 | |
| | IVORY, ONE FOOT, FOUR FOLD, CALIPER. | | |
| 53. | Arch Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches, | | |
| | (100ths of a foot on edges of unbound), 13-16ths in. wide, | 44.00 | 58.00 |
| 54. | Square Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches, (100ths of a foot on edges of unbound), . 13-16ths in. wide, | 40.00 | 54.00 |
| | IVORY, SIX INCH, TWO FOLD, CALIPER. | | |
| 55. | Square Joint, German Silver, 8ths and 16ths, of inches, [see Engraving], | | |
| 551 | Square Joint, German Silver Case, Spring Caliper, 8ths and 16ths of inches, | | 15.00 |
| ರರ∦. | Square Joint, German Silver Case. Spring Camper, 8th and Total of Inches, | | 18.00 |
| | | | |

PLUMBS AND LEVELS.

| No. 102. 103. | Levels, | Two | Side | views, | Polished, | Assorted, | 10 to 16 Inch, 18 to 24 " | ٠ | | Per Doz. \$ 9,00 |
|---------------------|---------|-----|------|--------|-----------|-----------|------------------------------|---|--|---------------------|
| | | | | | | | 10 to 24 | | | 12.00 |



No. 0.

| 00, | Plumb an | d Level, | Arch | Top | Plate, | Two | Side | Views, | Polished, | Assorted. | 20 to 24 I | ches | \$ 16.00 |
|-----|----------|----------|-------|-------|--------|-------|-------|---------|------------|-----------|------------|------|-----------------|
| V. | | | | - | ** | 0.0 | 4.5 | 6-11 | 61- | 8.6 | 26 to 30 | | |
| 15. | Mahogan | riumb | and I | evel, | two Si | ide V | iews. | Polishe | d, Assorte | ed, | 16 to 24 | | 16.50 |

DESCRIPTION OF THE

Patent Improved Adjusting Plumb and Level,

MANUFACTURED BY THE

STANLEY RULE & LEVEL CO.



[Sectional Drawing].

The Spirit-glass, (or bubble tube), in the Level, is set in a Metallic Case, which is attached to the Brass Top-plate above it,—at one end by a substantial hinge, and at the opposite end by an Adjusting Screw, which passes down through a flange on the Metallic Case. Between this flange and the Top-plate above, is inserted a stiff spiral spring; and by driving, or slacking the Adjusting Screw, should occasion require, the Spirit-glass can be instantly adjusted to a position parallel with the base of the Level.

The Spirit-glass in the Plumb, is likewise set in a Metallic Case attached to the Brass Top-plate at its outer end. By the use of the Adjusting Screw at the lower end of the Top plate, the Plumb-glass can be as readily adjusted to a right angle with the base of the Level, if occasion requires, and by the same method as adopted for the Level-glass.

The simplicity of this improved method of adjusting the Spirit-glasses will commend itself to every Mechanic. But one screw is used in the operation, and the action of the Brass Spring is perfectly reliable under all circumstances.

Patent Adjustable Plumbs and Levels.



No. 3.

| | | Per Doz. |
|----|---|----------|
| 2. | Patent Adjustable Plumb and Level, Arch Top Plate, two Brass Lipped Side Views, | |
| | Polished, Assorted, | \$ 27.00 |
| 3. | Patent Adjustable Plumb and Level, Arch Top Plate, two Side Views, Polished and | |
| | Tipped, Assorted, | 30,00 |
| 4. | Patent Adjustable Plumb and Level, Arch Top Plate, two Brass Lipped Side Views, | |
| | Polished and Tipped, Assorted, | 39.00 |
| 5. | Patent Adjustable Plumb and Level, Triple Stock, Arch Top Plate, two Brass Lipped | |
| | Side Views, Polished and Tipped, Assorted, | 48.00 |



No. 9.

| 1. | Patent Adjustable Mahogany Plumb and Level, Arch Top Plate, two Side Views, | |
|-----|---|------------|
| | Polished, Assorted, | 8 22,50 |
| 6. | Patent Adjustable Mahogany Plumb and Level, Arch Top Plate, two Brass Lipped | |
| | Side Views, Polished, Assorted, | 33,00 |
| 9. | Patent Adjustable Mahogany Plumb and Level, Arch Top Plate, two Brass Lipped | |
| | Side Views, Polished and Tipped, Assorted, | 48.00 |
| 10. | Patent Adjustable Mahogany Plumb and Level, Triple Stock, two Extra Heavy Brass | |
| | Lipped Side Views, and Arch Top Plate, Polished and Tipped, Assorted, | |
| | | 60,00 |
| 25. | Patent Adjustable Mahogany Plumb and Level, Improved Double Adjusting Side | |
| | Views, and Arch Top Plate, Polished and Tipped, . 30 " | 54.00 |
| 11. | Patent Adjustable Rosewood Plumb and Level, Arch Top Plate, two Extra Brass | |
| | Lipped Side Views, Polished and Tipped, Assorted, . 28 to 30 " | 90,00 |
| 12. | Machinsts' Brass Bound Rosewood Plumb and Level, two Brass Side Views, Polished, 20 | in. 125.00 |

No.

No.

PLUMBS AND LEVELS. Continued.

Per Poz.

\$ 100.00

36,00

20.00

28.00

28 inch,

42 4

9 4

9

| 32. | Patent Adjustable and Graduating Plumb and Level, Mahogany, | |
|-----|--|--|
| 35. | Patent Adjustable Masons' Plumb and Level, 3\frac{3}{4} inch wide, | |
| 43. | Iron Plumb and Level, two side Views, Brass Top Plates, | |
| 45 | Machinists' Level all Level and Description Plates, | |
| 10. | Machinists' Level, all Iron, Brass Top Plate, extra finish, | |

POCKET LEVELS.

[Improved Patterns.]



| N | 0 | - 4 | 1 | |
|-----|-----|-----|----|--|
| 7.4 | 47. | 7 | -1 | |

| 40. | Iron, Japanned, | Pocket | Levels | | | | Per Doz. |
|-----|------------------|--------|--------|---|---|---|----------------|
| 41. | Brass Top-plate, | 66 | 64 | • | • | | \$ 2.50 |
| | All Brass. | 66 | 44 | | | | 3.00 |
| | | | | • | • | ٠ | 8.00 |
| | | | | | | | |



46. Iron Pocket Levels, Brass Top-Plate, a superior article, \$3.00

Level Classes.

| Level | Glasses. | , packe | d in 1 | gross | boxes. | | | | | | | | Per Gro. |
|--------|----------|----------|----------|-------|--------|---|---|---|---|---|----|-------|-----------------|
| 66 | 64 | 66 | 46 | - 44 | 44 | | | | | | 1# | inch, | \$ 12.00 |
| 66 | 66 | 66 | 66 | 44 | 44 | | | | - | | 2 | 66 | 12.00 |
| 66 | 64 | 64 | 6.6 | 5.6 | ** | | | - | | | 21 | 6.6 | 12.75 |
| 6.6 | 66 | 6.6 | 66 | 4.6 | 44 | | • | | | - | 3 | 66 | 13.50 |
| 6.6. | 66 | 46 | 64 | 46 | 6.5 | | | | | | 31 | 64 | 15.00 |
| 6. | 64 | 44 | 64 | 6.6 | ** | | | | | | 4 | 66 | 16.50 |
| Assort | ed, 14, | 2 3 and | 1 21 :. | a oli | | • | | | | | 41 | 64 | 18.00 |
| | | -, o and | 1 0 d 11 | icii, | | | | | | | | | 14.50 |

Compass Dividers.

With Cast-Steel Spring, and Set-Screw.

| \$ 5.25 | 5.50 | 6.00 | 8 6.75 | | 11 9.50 | 12 inch. 10.50 |
|---------|------|------|-----------|--|------------|-------------------|
| | | | | | | |








No. 32.

Nicholson's Patent Metallic Plumb and Level.



The chief points of excellence in these Levels are the following: Once accurately constructed, they always remain so; the sides and edges are perfectly true, thus combining with a Level a convenient and reliable straight-edge; shafting, or other work overhead, may be lined with accuracy by sighting the bubble from below, through an aperture in the base of the Level. Other points are their lightness, strength, and convenience of handling. All Levels, being thoroughly tested, are warranted reliable.

| No. | | | | | | | | | | | | |
|-----|------|-------|-------|--|---|---|---|---|---|--|---|----------|
| 13. | 14 I | nches | long, | | | | | | | | | Per Doz. |
| 14. | 20 | 66 | 6% | | | | - | | - | | | \$ 21.00 |
| 15. | 24 | £4. | 6.6 | | | • | | * | | | | 25.00 |
| | | | | | - | | | | | | - | 30.00 |

Patent Iron Frame Levels.




These Levels have a Cast Iron Frame, thoroughly braced, and combine the greatest strength with the least possible weight of metal. They are made absolutely correct in their form, and are subject to no change from warping or shrinking.



When finished, the sides are inlaid with Black Walnut, (as represented above), secured by the screws which pass from one to the other, through the Iron braces, and the sides may thus be easily removed, if occasion requires.

| No. | 48, Patent Adjustable Plumb and Level, Iron Frame, with Black Walnut (inlaid) sides, 12 inch. | Per Doz. |
|-----|--|----------|
| | and the state of t | \$ 30.00 |
| | order, 10 men, | 40.00 |


PATENT COMBINATION TRY SQUARE AND BEVEL



The Patent Combination Try Square and Bevel will be found a valuable acquisition to Carpenters, Cabinet Makers, Stone Cutters and others, as it combines within itself a perfect Square and Bevel. The Blade being made by improved machinery, can be relied upon as correct, and can be used either as an inside or outside Square. In using as a Bevel, adjust the blade to any given angle required, and secure it by means of the screw.

| 4 | Inch. | | | | | | | | \$ 6.00 |
|----|-------|--|--|--|---|--|--|--|---------|
| 6 | 66 | | | | - | | | | 7.00 |
| 8 | 44 | | | | | | | | 9.00 |
| 10 | 44 | | | | | | | | 11.00 |
| 12 | 44 | | | | | | | | 14.00 |


IMPROVED MITRE SQUARES.



Iron Frame Handle, with Black Walnut (inlaid) Sides.

 Inches,
 8
 10
 12


 Per dozen,
 \$ 9.00
 10.50
 12.00



Improved Try Squares, No. 1.

 Inches,
 3
 4
 6
 8
 9
 10
 12

 Per dozen,
 \$9.00
 10.50
 12.00
 16.00
 18.00
 21.00
 28.00




Patent Improved Try Squares, No. 2.

One-half Iron Frame Handle, Rosewood Back and Sides.

Inches, 3 4½ 6 7½ 9 12

Per dozen, \$4.75 5.75 6.25 7.50 9.00 12.50

Plated Try Squares.




| | | | | | | | | 1 | Per Doz |
|----------|------------|---|--|--|--|--|----|-------|---------|
| Rosewood | ì, . | | | | | | 3, | Inch, | \$ 3.00 |
| 44 | | | | | | | 41 | 66 | 3.75 |
| 6.6 | | | | | | | 6 | 66 | 5.00 |
| 66 | | | | | | | 71 | 66 | 5.75 |
| 66 | | | | | | | 9 | 6.6 | 6.50 |
| 4.4 | | | | | | | 12 | 46 | 8.50 |
| 44 | with Rest, | | | | | | 15 | 66 | 12.50 |
| 44 | 46 46 | , | | | | | 18 | 44 | 15.50 |

Plumb and Level Try Squares.

A very convenient Tool for Mechanics. A spirit glass being set in the inner edge of the Try Square handle, constitutes the handle a Level; and when the handle is brought to an exact level, the blade of the square will be upright, and become a perfect Plumb.

| No | . 1 | . 1 | 2 Inc | h, Rosewood | with | Plumb | and | Level | in | Handle, | and | extra | heavy | Brass | Mountings, | Per Doz. \$ 36.00 |
|----|-----|-----|-------|-------------|------|-------|-----|-------|----|---------|-----|-------|-------|-------|------------|-------------------|
| No | . 1 | . 7 | 1 4 | 46 | 66 | 46 | 44 | 44 | 66 | 64 | | | | | | 18.00 |
| No | . 2 | . 7 | 1 66 | 66 | 44 | 66 | 46 | 66 | 66 | 66 | | _ | | | | 12.00 |



PATENT IMPROVED SLIDING T BEVELS.


The patent method of fastening the Blade of the Bevel at any desired angle, is a valuable feature in this Tool.

Iron Frame Handle, with Black Walnut (inlaid) Sides.

Inches, Per dozen,

\$ 9.00

10 11.00



6 Inch.

| | | | | | | | | | | | Per Doz. |
|----|-------|-----------|------|-------|-------|--------|--|---|--|---|----------|
| 6 | Inch, | Rosewood, | with | Brass | Thumb | Screw, | | | | | \$ 5.50 |
| 8 | 66 | 64 | 66 | 66 | 66 | 44 | | | | | 6.00 |
| 10 | 84 | 136 | 66 | 66 | 44 | 66 | | • | | | 6.50 |
| 12 | 84 | 66 | 66 | 6.6 | 66 | 66 | | | | | 7.00 |
| 14 | 64 | 66 | 66 | 66 | 44 | 44 | | | | ٠ | 7.50 |
| | | | | | | | | | | | |

CATCES.








No. 79.

| No. | | |
|-------------------|--|----------|
| 61. | Marking Gauge, Beechwood, Boxwood Thumb Screw, Oval Bar, Marked, Steel Points, 1 dozen in a box, | Per Doz. |
| 61 1 . | Marking Gauge, Beechwood, Boxwood Thumb Screw, Oval Head and Bar Marked | \$1.00 |
| | Marking Gauge, Beechwood, Boxwood Thumb Screw, Oval Bar, Marked, Steel Points | 1.50 |
| | Polished, 1 dozen in a box, Marking Gauge, Polished, Plated Head, Boxwood Thumb Screw, Oval Bar, Marked, | 2.00 |
| | Steel Points, 1 dozen in a box, Marking Gauge, Boxwood, Polished, Plated Head, Boxwood Thumb Screw, Oval Bar, | 2.75 |
| | marked, Steel Points, I dozen in a box. | 4.00 |
| | Marked, Steel Points, & dozen in a hox | 5.50 |
| 10. | Cutting Gauge, Mahogany, Polished, Plated Head, Boxwood Thumb Screw, Oval Bar, Marked, Steel Cutter, 1 dozen in a box. | 4,00 |
| | | |

25



| No. | | Per Doz. |
|-----|--|----------|
| 67. | Mortise Gauge (Improved), Adjustable Wood Slide, Boxwood Thumb Screw, Oval Bar, Marked, Steel Points, | \$ 5.00 |
| | Mortise Gauge (Improved). Plated Head, Adjustable Wood Slide, Brass Thumb Screw, Oval Bar, Marked, Steel Points (see Engraving, page 24), | 7.00 |
| | Mortise Gauge, Boxwood or Satinwood, Polished, Plated Head, Brass Slide, Brass Thumb Screw, Oval Bar, Marked, Steel Points, ½ dozen in a box, | 8.00 |
| | Mortise Gauge, Boxwood, Plated Head, Screw Slide. Brass Thumb Screw, Oval Bar, Marked, Steel Points, ½ dozen in a box, | . 12.00 |
| 77. | Mortise Gauge, Rosewood, Screw Slide, Brass Thumb Screw, Oval Bar, Steel Points, ½ dozen in a box (see Engraving on this page), | 10.00 |
| 78. | Marked, Steel Points, ½ dozen in a box, | . 11.00 |
| 79. | Mortise Gauge, Rosewood, Plated Head, Screw Slide, Brass Thumb Screw, Plated Bar, Marked, Steel Points (see Engraving, page 24), ½ dozen in a box, | 13.00 |
| 80. | Mortise Gauge, Boxwood, Full Plated Head, Screw Slide, Brass Thumb Screw, Plated Bar, Marked, Steel Points, ½ dozen in a box, | . 18.00 |



| No. | | |
|-------------------|---|----------|
| 71. | Double Gauge, (Marking and Mortise Gauge combined), Beechwood, Polished, Plated | Per Doz. |
| | Head and Bars, Brass Thumb Screws, Oval Bars, Marked, Steel Points running | |
| 72. | Double Gauge, (Marking and Mortise Gauge combined), Beechwood, Polished, Boxwood Thumb Scrows, Ovel Poss, Marking and Mortise Gauge combined), Beechwood, Polished, Boxwood | \$ 9.00 |
| | Thumb Screws, Oval Bars, Marked, Steel Points running through the Bars, | |
| 74. | Double Gauge, (Marking and Mortise Gauge combined). Boxwood, Polished, Full | 4.50 |
| | Tread and Dars, Drass Thumb Screws Oval Ran, Manked Street Daries | |
| 83. | running through the Bars, (see Engraving on this page), | 14.00 |
| | Handled Slitting Gauge, 17 inch Bar, Graduated, ½ dozen in a box, | 8.00 |
| 84. | Handled Sitting Gauge, 17 inch Bar, Graduated with Pollon 1. | 11.00 |
| 85. | Panel Gauge, Beechwood, Boxwood Thumb Screw, Oval Bar, Steel Points, 1 dozen in a box, | 11.00 |
| $85\frac{1}{2}$. | Panel Gauge, Rosewood, Brass Thumb Screw, Plated Oval Bar, Steel Points, dozen in a box, | 3.20 |
| 90. | | 18.00 |
| ou. | Williams' Patent Combination Gauge, 1 dozen in a box, | 22.00 |
| | | =2.00 |

PATENT IMPROVED SOLID CAST STEEL

SCREW DRIVERS.

WARRANTED.

By the aid of improved machinery we are now producing a Screw Driver which is superior to any other in the market—and at the prices paid for the ordinary Tools.

The Blades are made from the best quality of Cast Steel, and are tempered with great care. They are ground down to a correct taper, and pointed at the end, by special machinery; thus procuring perfect uniformity in size, form and strength, while the peculiar shape of the point gives it unequaled firmness in the screw-head, when in use.

The shank of the Blade is properly slotted to receive a Patent metallic fastening, which secures it permanently in the handle, on all sizes above 3 inch. The Handles are of the most approved pattern, the Brass Fernles of the thimble form, extra heavy, and closely fitted.

Every objection which has existed in the ordinary Screw Drivers, is overcome in our new method of manufacturing; and Mechanics will appreciate the improvements now offered in this tool, for which they have so many uses.

PRICES.

Sizes,

| 11/2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 10 |
|--------|------|------|------|------|------|------|------|------|
| \$1.00 | 1.75 | 2.00 | 2.50 | 3,00 | 3.50 | 4.00 | 4.75 | 6.25 |

Inch. Per Doz.

WHEELER'S PATENT COUNTERSINK,

FOR WOOD,

With Patent Gauge Attachment.



This Countersink cuts rapidly, will not clog with shavings, makes a perfectly smooth and round hole, and may be used equally well for any sized Screw. An ingenious adaptation of a Gauge, as shown in the above Engraving, gives great facility and accuracy where many Screws of the same size are to be used; as the Gauge can be easily adjusted so that the Countersink will cease to cut at any required depth. Countersinks, 1 Dozen in a box,

5.50 " "

7, Jointer"

99

BAILEY'S PATENT PLANES.

No tools have ever been accorded more general praise than "Bailey's Patent Planes" have receiv ed from skilled Wood-workers throughout this country, and in foreign countries. The sale of them has already exceeded 20.000 Planes, and is rapidly increasing. The strictest care is pledged for the continued excellence of these Planes over all others. Every Dealer should introduce them to the notice of all good Mechanics: the Tools will commend themselves when brought into actual service.

7.00

8.00

9.00

4.00

Each Plane is fitted in working order, when sent into Market.

Iron Planes.



| 4.40 | | | | | | | | | | |
|------|--------|-------|------|------|-------|--------|-----|-----|--------|---------------|
| 1, | Smooth | Plane | 51-2 | Incl | es in | Length | 14 | In | Cuttor | 4 4 00 |
| 2, | 4.6 | 64 | 7 | 61 | fin. | | 1.3 | 0.6 | fi | 4.50 |
| 8, | 66 | 6.6 | 8 | 44. | 64 | | 14 | | 49 | 5.00 |
| 4, | 4.6 | 46 | 9 | 64 | 6.6 | 61 | 2 | | 0.6 | 5.50 |
| | | | | | | | > | | | 0.00 |





2#

9, Block Plane, 10 Inches in Length, 2 In. Cutter, 9 1-2, Excelsior Block Plane, 6 In. in Length, 14 In. Cutter, 2.00 10, Carriage Makers' Rabbet Plane, 14 Inches in Length, 21 In. Cutter, 6.50 11, Belt Makers' Plane, 24 In. Cutter,

Bailey's Patent Adjustable Circular Plane.



13, 14 In. Cutter, 5.00

This Plane has a Flexible Steel Face, and by means of the Thumb-Screws at each end of the Stock, can be easily adapted to plane circular work, either concave or convex.

Wood Planes.



| 8mooth | Plane, | 7 | In | ches | in | Length, | 14 | In. | Cutter, | \$ 2.5 |
|--------|--------|---|-----|------|-----|---------|----|----------|---------|--------|
| 64 | 44 | 0 | | 61 | 84 | 60 | 1# | 14 | 84 | 2.5 |
| 14 | 6.0 | 8 | | 6.0 | 4= | 4.5. | 12 | 46 E6 | 44 | 2.5 |
| Block, | +4 | 9 | 1-2 | +6 | 4.0 | 44 | 14 | 44 | 45 | 2.7 |



| 26, | Jack | Plane, | 15 | Inches | in | Length, | 2 | In. | Cutter, | 3 2 |
|----------|-------|--------|----|--------|------|---------|-----|-----|---------|--------------|
| 7, 8, | | | 15 | 11 | 4.9 | 41 | 24 | 4.1 | 11 | 3 50 |
| 8, | Fore | 44 | 18 | 44 | 44 | 11 | 9.8 | 14 | 41 | |
| 9 | 44 | 66 | 20 | 66 | 61 | £s. | 9.8 | 4.6 | 44 | 4 00 |
| | Joint | er" | 22 | 64 | E t. | 64 | 24 | 4.1 | 10. | 4.00 |
| 1. | 69 | 44 | 24 | 6.6 | 44 | 44 | 28 | 64 | 11 | 4.2 |
| 2. | 44 | 44 | 26 | * 5 | 4.0 | 1.5 | 2 # | 4.4 | 16 | 4.00 |
| 3, | 44 | 66 | 28 | 44 | 6.6 | + 4 | 24 | +0 | 44 | 4.75 |
| 4, | 16 | 44 | 30 | 4.6 | 64 | 44 | 2 | 4.6 | 66 | 4.75 5.00 |
| | | | | | | | - 4 | 0 | | 0,00 |



35, Handle Smooth, 9 Inches in Length, 2 In. Cutter, 3.50 37, Jenny 13 28 Extra Plane-woods, of every style, can be supplied 10 cheaply.

Bailey's Patent Adjustable Veneer Scraper.



12, 3 In. Cutter, CAST STEEL, Hand, VENEER SCRAPERS, 3 x 5 In. per doz. 4.00

Bailey's Patent Plane Irons.



These Plane-Irons have stood the severest tests applied to them by practical workmen, and are by the manufacturers fully WARRANTED.

PRICES.

| | | | SINGI | E IRONS. | | | |
|----------|---------|------|-------|----------|-------------------|----------------|--------------|
| Inches, | 11/4 | 18 | 14 | 2 | 21/8 | 보통 | 25 |
| Per Doz. | \$ 3,50 | 4.25 | 4.75 | 5.50 | 5,75 | 6.00 | 6.50 |
| | | | DOUBL | E IRONS. | | | |
| Per Doz. | \$ 6,50 | 7.50 | 8.50 | 9,00 | 9.50 | 10,00 | 10.50 |
| 2.50 | F Dl | T | | 2 | an alain a and an | hof no looving | the Foutewer |

Each Plane-Iron is sharpened and put in perfect working order before leaving the Factory.

Bailey's Patent Adjustable Iron and Wood Bench Planes.

EXPLANATION.

The Plane-Iron is secured in its position by means of the Iron Lever, with a Cam and Thumb-piece at its upper end. A Screw passing down into the Iron bed-piece below, serves as a fulcrum upon which the Lever acts in clamping down the Plane-Iron.

The Lever may be put in position, or removed at pleasure, without the use of any tool, it being properly slotted for this purpose; and the pressure required for the best working of the Plane can be obtained at any time, by driving or slacking the central Screw upon which the Lever operates.

The Thumb-screw located under the Iron bed-piece and just in front of the Handle to the Plane, operates a simple device by means of which the Plane-Iron can be easily set forward or withdrawn, while it is still clamped down to the bed-piece; and without removing the hands from the Plane, or the Plane from the work, any desired thickness of shaving may be obtained with perfect accuracy.

The Bed-piece upon which the Plane-Iron rests, is attached to the stock of the Plane by two Screws; and can be moved forward or backward, sufficiently to open or close the mouth of the Plane, as the owner may desire.

TESTIMONIALS.


- "The BEST PLANE now in use."-CHICKERING & Sons, Piano Forte Manufacturers, Boston, Mass.
- "Superior to any others used in this Shop."-W. S. Town, Master of Car Repairs, Hudson River R. R. Co.
- "Works splendidly on our Yellow Pine."-H. C. HALL, Jacksonville, Florida.
- "All that is wanted to sell your Planes here, is to show them."-E. WATERS, Manufacturer of Sporting Boats, Troy, N. Y.
- "Far superior to any I have seen used."-JOHN ENGLISH, North Milwankie, Wis. Car Shops.
- "I have used your Planes, and have never found their equal."—B. F. FURRY, Foreman McLear & Kendall's Coach Works, Wilmington, Del.
- "We know of no other Plane that would be a successful substitute for them."—R. Burdett & Co. Organ Manufacturers, Chicago.
- "The best Plane ever introduced in carriage-making." JAS. L. MORGAN, at J. B. Breuster & Co's Carriage Manufactory, New York.
- "From the satisfaction they give, would like to introduce them here."—J. Alexander, at Bell's Melodeon Factory, Guelph, Canada.
- "Bailey's Planes are used in our Factory. We can get only one verdict, and that is, the men would not be without them." STEINWAY & SONS, Piano Forte Manufacturers, New York.
- "I have owned a set of Bailey's Planes for six months, and can cheerfully say that I would not use any others, for I believe they are the best in use."—C. C. HARRIS, Stair Builder, St. Louis, Mo.
- "We have Bailey's Planes in our Factory, and there is but one opinion about them. They are the best and cheapest tool we have ever used. Good tools are always the cheapest." Jos. Beckhaus, Carriage Builder, Philadelphia.
- "I have used a set of Bailey's Planes about six months, and would not use any other now. There is inquiry about them here every day. Send me your descriptive Catalogue." EDWARD CARVILLE, Sacramento City, California.
- A Boston Mechanic says: "I always tell my shopmates, when they wish to use my Plane, not to borrow a BAILEY PLANE unless they intend to buy one, as they will never be satisfied with any other Plane after using this."

BAILEY'S IRON SPOKE SHAVES.

The Spoke Shaves in the following List are superior in style, quality and finish, to any in market. The Cutters are made of the best English Cast Steel, tempered and ground by an improved method, and are in perfect working order when sent from the Factory.

| | 8.3 | | | | | |
|-----------------|--|-------|-------|---|---|---------------------|
| No. | | | | | | Per Doz. |
| 51. | Patent Double Iron, Raised Handle, 10 Inch, 21 Inch Cutter, | | | 4 | | \$ 4.00 |
| | | | | | | |
| 52. | | | | | | |
| 03. | Patent Double Iron, Straight Handle, 10 Inch. 24 Inch Cutter, | | * | | • | 4,00 |
| | The state of the s | | | | | |
| 53. | Patent Adjustable, Raised Handle, 10 Inch, 21 Inch Cutter, | | | | | 5.00 |
| | | | | | | |
| | | | | | | |
| 54. | Patent Adjustable, Straight Handle, 10 Inch, $2\frac{1}{8}$ Inch Cutter, . | | | | | 5,00 |
| | | | | | | |
| 55. | Model Double Iron, Hollow Face, 10 Inch, 21 Inch Cutter, | | | | | 4.00 |
| | | | | | | |
| | ROSSOLEUM | - 6 - | ÷ . | | | |
| 56. | Cooper's Spoke Shave, (Heavy), 18 Inch, 25 Inch Cutter, | | | | | 8.00 |
| 56 1 | . Cooper's Spoke Shave, (Heavy), 19 Inch, 4 Inch Cutter, | | | | | 10,00 |
| | | | | | | |
| 57. | Cooper's Spoke Shave, (Light), 18 Inch, 21 Inch Cutter, | | | | | × 00 |
| | in the carrier, and the carrier, | | ٠ | | | 5.00 |
| | | | | | | |
| 58. | Model Double Iron Shave, 10 Inch, 21 Inch Cutter, | | | | | 3.50 |
| 59. | Single Iron Shave, (Pattern of No. 56), 10 Inch, 24 Inch Cutter, | | | | | 4,00 |
| | | | | | | |
| 60. | Double Cutter, Hollow and Straight, 10 Inch, 1½ Inch each Cutter, | | | | | 5,00 |
| | PRICE LIST OF SPOKE SHAVE CU | rire: | RS | | | |
| 51, 5 | 2, 53, 54, 55, 57, 58, 59, | | i to. | | | 1 50 |
| 60, (i | n pairs), | | * | | • | $\frac{1.50}{2.25}$ |
| 56, | | - | | • | | 2.00 |
| 56 <u>1,</u> | | | | | | 2.25 |
| | | | | | | |

MILLER'S PATENT ADJUSTABLE METALLIC PLOW, FILLETSTER AND MATCHING PLANE.




This Tool embraces in a most ingenious and successful combination, the common Carpenter's Plow, a Filletster and a Matching Plane. The entire assortment can be kept in smaller space, or made more portable, than an ordinary Carpenter's Plow

Each Tool in this combination is complete in itself, and is capable of more perfect adjustment, for its specific uses, than the most improved form of the same Tool as manufactured separately by any other party.



The Bed-piece represented above can be fastened to the Stock instantly, by means of two screws projecting from the back of the same. The heads of the screws being passed through the front end of the slots, as shown in the drawing of the Plow, and then brought back to the rear end of the slots, a single turn will secure the Bed-piece to the Base-piece with perfect firmness; and it can be released at any time with equal facility.



[Filletster].

The above engraving represents the Filletster, which may be readily adjusted to cut any required width, by regulating the horizontal Gauge which slides upon the two bars on the front side of the Stock. The depth to be cut can be adjusted by use of the upright Gauge, with a Thumb-screw, on the back side of the Stock.



The Tonguing Tool and also the Plow-bits are made of a superior quality of STEEL, and have a V slot in the bottom surface which fits down upon a seat prepared accurately for the same. The Thumb-screw above will secure the tools in position with the greatest possible firmness.

Each Plow is accompanied by a Tonguing tool (‡ in.) and eight Plow bits (1-8, 3-16, 1-4, 5-16, 3-8, 7-16, 1-2 and 5-8 inch), fully WARRANTED.

PRICES.

Combined Plow, Fillerster, and Matching Plane, (including Plow-bits, Tonguing and Grooving Tools), IRON STOCK and Gauge,

GUN METAL Stock and Gauge.

\$12.00 15.00



[Matching Plane].

PRICES.

COMBINED PLOW AND MATCHING PLANE, (including Plow-bits, Tonguing and Grooving Tools): IRON STOCK and Gauge. GUN METAL Stock and Gauge,

8.00 12,00

CHALK-LINE REELS AND STEEL SCRATCH AWLS.



| Chalk | -Line | Reels, 3 Dozen in a Box, | Per Doz. |
|-------|-------|--|----------|
| 4.6 | 66 | | \$ 0.50 |
| ** | | " with 60 feet best quality Chalk-Line, 1 Dozen in a Box, | 2.25 |
| 66 | 2.2 | " "Steel Scratch Awls, 1 Dozen in a Box, | |
| 66 | 4.6 | | 1.25 |
| | | " " and 60 feet best quality Chalk-Line, 1 Dozen in a Box, | 3,00 |



| No. 1, | Handled | Steel | Scratch | Aurla | 1 Dozen in a | D | | | | Per Gro. |
|--------|---------|-------|---------|-------|---------------|-----------------|---|--|---|----------|
| 2. | 84 | 66 | | | | | ٠ | | 4 | 9.00 |
| -, | | | | | Extra Size, 1 | Dozen in a Box, | | | | 11.25 |

HANDLED BRAD AWLS.



| Handled | Brad | Awls, | assorted, | 1 | Dozen | in | в Rox | | | | | Per Gro. |
|---------|------|-------|-----------|-----|-------|----|-------|---|---|--|--|----------|
| 66 | 66 | 66 | " lar | mo | 64 | 44 | 66 | • | | | | 6.75 |
| | | | 1611 | ge, | | | | | • | | | 8,50 |



| Brad Awl Handles, Brass Ferrules, assorted, in Boxes, | * | 3.50 |
|---|---|------|
| | | |

33



| Polished Auger Handles, assorted, Polished Auger Handles, Extra Large, | | | | | _ | \$ 6.50 8.00 |
|---|------------|-----------|--------|--|---|-----------------|
| I | n cases of | about two | gross. | | | |

Improved Auger Handles.



| | No. | Per Doz. |
|---|---|----------|
| | 1. Malleable Iron Shank, to fit Small Size Bits, | 2.75 |
| | 2. " " Large " " | 3,00 |
| | | |
| | | Per Gro. |
| , | Polished Hickory Firmer Chisel Handles, assorted, in paper boxes, | 5.25 |
| | " " large " | 6,50 |
| | | |
| | Polished Socket Firmer Chisel Handles, assorted, in paper boxes, | 3.50 |
| | | |



7.00 Polished Hickory Socket Framing Chisel Handles, Iron Ferrules, assorted, in paper boxes,



14 15 Inch. \$0.44 0.50 0.60 per doz. Polished Hickory Shingling Hatchet Handles, 18 19 Inch. 16 17 \$ 0.67 0.75 0.88 1.00 per doz. Polished Hickory Bench Hatchet Handles, Inch. 15 16 18 20 14 Polished Hickory Carpenters' Hammer Handles, \$0.50 0.60 0.67 0.75 0.88 1.00 per doz.

MALLETS.



| No. | | | | | | | | | | | | |
|------|-------|-----------|---------|-----------|----------|----------|------|-----------|---|--|--|----------|
| 1, F | Roung | d Hickory | Mallet. | Mortised. | 5 In | Louis | 2 In | Diameter, | | | | Per Doz. |
| 2. | 8.6 | 66 | 60 | 44 | 51 " | Triving. | 33 " | Dameter, | - | | | \$ 1.75 |
| 3. | 6.6 | 66 | 64 | 66 | 43 44 | 46 | 4 " | | | | | 2.25 |
| 5. | es. | T : | 4, | 64 | 6) | | - | ** | | | | 2.50 |
| | 66 | Lignumv | 1135 | | 5 " | 44 | 3 | 8-6 | | | | 3.00 |
| 6, | 41 | 66 | | 61- | 51 " | 44 | 31 " | ** | | | | |
| 7, | 6.6 | 46 | | 6.4 | 6 14 | 6.6 | 4 11 | 4.0 | | | | 4.00 |
| | | | | | A NO. ST | | - | | | | | 5.00 |



| 8, | Squa | are Hickory | Mallet, | Mortised, | 6 In. | Long. | 21 | by | 34. | | | | | |
|-----|------|-------------|---------|-----------|-------|-------|-----|-----|------------------|---|---|---|--|------|
| 9, | 66 | 46 | 66 | 66 | 61 " | ະຄິ' | 24 | 6.0 | 34, | • | | | | 2.25 |
| 10, | 66 | 64 | 66 | 66 | 7 4 | 4.6 | 3 | 64 | 4 | | | | | 2.75 |
| 11, | 6.6 | Lignumvita | 46 | 6. | 6 4 | 6.6 | 21 | | $3\frac{1}{2}$, | | | | | 3.25 |
| 12, | 66 | 66 | 66 | ** | 61 " | 6.6 | 24 | | | | | | | 3.75 |
| 13. | 64 | 64 | 66 | 66 | 7 66 | 46 | 2 1 | 6.6 | $3\frac{3}{4}$, | • | | - | | 4.75 |
| , | | | | | - | | • • | | Τ, | | - | | | 5.75 |



| 14, | Kound. | Mallet, | Mortised, | Iron | King, | 6 In. | Long, | 4 In. | Diameter, | | | 6.50 |
|-------|--------|---------|-----------|------|-------|-------|-------|-------|-----------|--|--|------|
| T-4-9 | 9 | | •• | ** | 1.6 | 54 11 | 66 | 31 " | 4.6 | | | 0.00 |
| | | | | | _ | - | | 9 | | | | 4.50 |
| | | | | | 100 | | | | | | | |



4, Round Hickory Tinner's Mallet, 5½ In. Long, assorted, 2, 2½ and 2½ In. Diameter,



15, Iron Mallet, Mortised, Hickory Ends, 2½ In. Diameter,

4.00

1.00

MALLETS, Continued.



No. 16, Mallets, Heavy, Malleable Iron Socket, Mortised, Ilickory Ends, 3 inch diameter,

\$12.00

SAW HANDLES.

All full sizes, Speak & Jackson's pattern, of perfect timber, well seasoned, and every way superior and reliable goods.



| No. | | | | | | | | | | | | | Per Doz. |
|-----|------------|---------|----------|------|-----|-----|-------|-------|-------|------|--|--|----------------|
| 1. | Full size, | Cherry, | Polished | Edge | F., | | | | | | | | \$ 1.65 |
| 2. | 44 | Beech, | 66 | 6.6 | | | | | | | | | 1.40 |
| 3. | 66 | 66 | Plain | 4.6 | | | | | , | | | | 1.20 |
| 4. | Small pane | el, " | Polished | 6.6 | for | 16 | to 20 | inch | Saws, | | | | 1.35 |
| 5. | Meat Saws | 66 | 8-6 | 64 | | | | | | | | | 1.35 |
| 6. | Compass S | aw " | 6.6 | b 6 | | | | | | | | | 1.35 |
| 7. | Back Saw, | 6.6 | 64 | 4.6 | | | | | | | | | 1.35 |
| | | | | | Pac | :ke | i two | grose | inac | ase. | | | |

PLANE HANDLES.






| | | | | | Per 1 | JOZ. |
|---|---|--|--|--|--------------|------|
| Jack Plane Handles, (5 gross in a case), | | | | | \$ 0. | .42 |
| | • | | | | 0 | .75 |
| Fore, or Jointer Handles, (32 gross in a case), | | | | | . 0. | . 10 |

PATENT EXCELSIOR TOOL HANDLE.

[Turkey Boxwood.]



This Handle is the best article of the kind ever invented, it being simple in its construction, compact, and less liable to get out of order than any other in use, and dispenses entirely with the use of a wrench. In the interior of each Handle will be found twenty Brad-awls and Tools, adapted to the various kinds of work required of Mechanics, and useful in every household, or in ordinary branches of business. They are of the full size necessary for the several uses for which they are designed, as represented below.



[Longitudinal Section of Handle.]

DESCRITIONS.—Unscrew the Cap of the Handle, and select the Tool needed; with the thumb the centre bolt may be thrust down sufficiently to open the clamp at small end of the Handle, into which the Tool may be inserted; then in replacing the cover and screwing it down to its place, the clamp will be closed, and the Tool firmly secured for use.

Put up in boxes of one dozen, with one set of twenty Tools in each Handle, per dozen, \$13.50

Per Gross.

\$ 0.80

2.50

2.25



| No. 8. | Carpenter's Tool Handle, Steel Screw and Nut, with Iron Wrench, | \$ 14.00 |
|---------|--|---------------|
| No. 8½. | | |
| | Awls, assorted sizes, one Handle with Brad Awls, packed in a box, and 12 | Per Doz. |
| | 1 | 4.75 |
| | boxes in a package, | 2.10 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | ~ ~ |
| | The state of the s | Per Gross. |
| No. 5. | Hickory, Pegging Awl Handles, Plain Top, Steel Screw and Nut, with Iron Wrench, | A 11 00 |
| | 1 dozen in a box, | \$11.00 |
| No. 6. | Hickory, Pegging Awl Handles, Leather Top, Steel Screw and Nut, with Iron | 40.00 |
| | Wrench, 1 dozen in a box, | 12.00 |
| | | |
| | | |
| | and the same of th | |
| | | |
| | | |
| | | |
| NT OI | A | |
| No. 64. | Appletree Sewing Awl Hafts, to hold any size Awl, Steel Screw and Nut, with Iron | \$14.00 |
| | Wrench, 1 dozen in a box, | P11.00 |
| | | |
| | | |
| | | |
| | | |
| | | |
| 35 . | A DETERMINE THE AND SHOPE AND SHOPE AND SHOPE AND | |
| No. 7. | | \$ 26.00 |
| | Wrench, 1 dozen in a box, | • |
| No. 10 | Common Sewing Awl Handle, with Brass Ferrule, | 3.50 |
| | | |
| | The Mark Court Charol Armin | |
| | Polished Cast Steel Awls. | |
| | | |

PATENT PEGGING AWLS, (short start, for Handles Nos. 5 and 6), assorted, Nos. 00, 0, 1, 2, 3, 4,

PATENT SEWING AWLS, (short start, for Handles Nos. 61/2 and 7), assorted, from 2 to 3 inches.


SEWING AWLS, English Pattern, (for Handle No. 10), assorted, from 2½ to 38 inches. In boxes

5 and 6. In boxes of one gross,

In boxes of one gross,

of one gross,

HAND SCREWS.



| Diameter of Screws. | Length of Screws. 24 inch. | Length of Jaws. 20 inch. | Size of Jaws. | Per Doz. |
|---------------------|-------------------------------|-----------------------------|----------------|----------|
| 11 " | 20 " | 18 " | 27 by 27 inch. | \$ 10.50 |
| 1 " | 18 " | 16 " | 25 " 25 " | 8.50 |
| T 41 | 16 " | 14 " | 28 " 28 " | 6.50 |
| 8 44 | 12 " | 10 " | 2 " 2 " | 4.75 |
| B 46 | 10 " | 81 4 | ~ M ~ B | 3.25 |
| 1 66 | 10 " | 8 " | 1景" 1景" | 2.50 |
| TT 1.0 | | 0 | 11 " 11 " | 2.25 |

Hand Screws, $\frac{1}{2}$, $\frac{5}{8}$ and $\frac{3}{4}$ inch, packed two dozen in a case; all other sizes, one dozen in a case.

Moulders' Flask Screws made to order.

IMPROVED CABINET MAKERS' CLAMP.



| Cabin | et Makers' | Clamps, | length | inside | the | Jaws | 9 | foot | | | | | | Per Doz. |
|-------|------------|---------|--------|--------|-----|------|---|------|---|---|---|---|--|----------------|
| 66 | 44 | 46 | 44 | 46 | 66 | 66 | 3 | 66 | • | | • | | | \$ 9.50 |
| 64 | 64 | 66 | 66 | 66. | 66 | 44 | A | 64 | | | | | | 10.00 |
| 56 | 66 | 66 | 66 | 66 | 66 | | - | | * | | | | | 11.00 |
| | | | | | | | U | | | ٠ | | • | | 12.00 |

PLAIN DOOR STOPS, WITH IRON SCREWS.



| 1 | 11, | b. |
|---|-----|----|
| D | : | ah |

| | | | | | ir Cii. | | | | | P | er Gross. |
|------------------|--|-------|---------|----------|------------|---------|--------|----|--|---|-----------|
| 2½ Inch, | | | | | | | | | | | \$ 4.50 |
| 3 " | | | | | | | | | | | 5.00 |
| 3 1 " | | | | | | | | | | | 5.50 |
| | | | | Black | Walnu | ıt. | | | | | |
| 2½ Inch, | | | | | | | | | | | \$ 5.00 |
| 3 " | | | | | | | | | | | 5.50 |
| 31 " | | | | | | | | | | | 6.00 |
| - | | Packe | ed in p | paper bo | xes of thr | ce doze | n each | l. | | | |

IMPROVED ELASTIC DOOR STOPS.



No. 9

Cherry, with Rosewood Cap.

| 21 Inch, | | | | | | \$11.50 |
|----------|---------|--------------|---------------|------------|-----------|-----------------|
| 3 " | | | | | | 12.50 |
| 31 " | | | | | | 14.00 |
| | Black ' | Walnut, v | vith Turk | ey Boxv | vood Cap. | |
| 21 Inch, | | | | | | \$ 11.50 |
| 3 " | | | | | | 12.50 |
| 31 " | | | | | | 14.00 |
| - | P | acked in pap | er boxes of t | hree dozen | each. | |

Improved Rubber Top Door Stops.




No. 8.

| 24 Inch. | Birch. \$10.00 | B. Walnut. \$ 11.00 | Mahogany. \$12.00 | Porcelain Enameled. \$14.00 per gross. |
|----------|-------------------|------------------------|----------------------|---|
| 3 " | 11.00 | 12.00 | 13.00 | 15.00 " " |
| 31 " | 12.00 | | | |

Packed in paper boxes of three dozen each.

Improved Sash Frame Pulleys.



We claim superiority for these Pulleys over any others in use, in these essential particulars:

First. In respect to wear and friction. We use Turkey Boxwood for the Wheels, and large smooth Iron Axles, instead of two grinding surfaces of rough cast iron; thus producing little friction, and no perceptible wear.

Second. The wheels being bored and turned true, the irregular motion and noise of the iron wheel is avoided.

Third. The groove of the wheel is turned out smooth, and of proper shape to receive the cord, which is thus prevented from wearing, and made to last much longer than in other pulleys.

| Sash | Frame | Pulle | v, 14 | inch, | | | | | | , . | | Per Doz. |
|------|-------|-------|-------|-------|---|---|---|--|--|-----|---|----------|
| 4.6 | 66 | 6.6 | 2 | 44 | • | | | | | | | \$ 0.65 |
| 46 | n-6 | 4.6 | 21 | 6.6 | | • | | | | | | 0.75 |
| | | | ~4 | | - | | * | | | | - | 1.25 |

Smith's Patent Sash Cord Iron.



These Irons can be more easily put into the edge of a Sash than any other, requiring only the boring of a round hole; and no screws are needed to keep them in position. When the windows are taken out for cleaning, or any other purpose, the Irons can be removed or replaced without

the use of any Tool.

In boxes of one grose,



\$0.80

Trammel Points.

Bronze Metal, with Cast Steel Points and Pencil socket,

Large.


Medium.
\$2.75
2.25

Small. 1.75 per Pair.

Patent Improved Cattle Tie.



It is believed that this cattle Tie, in both its parts, embraces more truly valuable features than any similar article heretofore sold. The snap is properly proportioned for the greatest strength required, and is made of Malleable Iron. The form of the hooked end prevents the snap becoming unfastened by any accidental means; while the *Improved Spiral Spring*, which is made of brass, and not liable to rust from being wet, or to break in cold weather, acts with certainty, and is protected in its position under an independent lug, or bar, upon which all shocks or pressure must first come.



The other part of the Cattle Tie consists of an iron socket, which may be secured at any desired position on a rope by means of a Malleable thumb-screw in one side of the socket; the thumb-screw having a perforated head, through which the snap is readily blooked. The socket may at once be changed from one position on the rope to another, and secured perfectly without the use of a screw-driver, or other tool, thus adapting the length of the rope to the size of the neck or horns of any animal. The extreme simplicity of both parts insures great durability.


| | | | | | Per Doz. |
|---|---|--|---|--|---------------|
| Cattle Tie, with Rope, Japanned, | | | | | \$4.50 |
| " X Plated. | | | - | | 5.00 |
| " "without " Japanned, . | | | | | 1.75 |
| " " " X Plated, . | - | | | | 2.25 |
| Improved Spiral Spring Snaps, (only), Japanned, | | | | | 0.80 |
| " X Plated. | | | | | 1.00 |

Pinking Irons.



| Sizes, Diamond Pattern, Scolloped, | \$ 3.00 3.00 | $\frac{1}{3}$ 3.00 3.00 | \$.00 3.00 | $\frac{3}{4}$ 3.00 | 3.00 3.00 | 1 3.00 3.00 | $\frac{1\frac{1}{8}}{3.50}$ $\frac{3.50}{3.50}$ | $\frac{1\frac{1}{4}}{3.50}$ $\frac{3.50}{3.50}$ | $1\frac{1}{4}$ 4.00 4.00 | Inch. per doz. |
|--|-----------------|-------------------------|---------------|--------------------|--------------|-------------------|---|---|--------------------------|-------------------|
|--|-----------------|-------------------------|---------------|--------------------|--------------|-------------------|---|---|--------------------------|-------------------|

Patent Improved Tack Hammer.



Put up in paper boxes of one dozen each.

No. 4. Malleable Iron, Polished, inlaid with Black Walnut, hardened face,

head or claw working loose. Perfect durability is thus secured.

per doz. \$2.75

Patent Improved Saddler's and Upholsterer's Hammer.

No. 5. Malleable Iron, Polished, inlaid with Black Walnut, hardened face, per doz. \$6.00

Patent Improved Shoemaker's Hammer.



No. 6. Malleable Iron, Polished, inlaid with Black Walnut, hardened face,


per doz. \$6.50



Per Doz. \$4.00



HAMMERS.



| lo. 1. | Small, Claw on Head, | | Per Gro- | \$16.00 |
|--------|-------------------------|--|----------|---------|
| | Medium, Claw in Handle, | | 66 66 | 22.00 |
| 3. | Large, " " | | 66 46 | 24.00 |

Steak Hammer and Ice Pick.



| No. | | | Per Doz. |
|-----|-----------------|--|----------|
| | Iron, Japanned, | | \$ 2.75 |
| | | | 4.00 |

8. X Plated, Polished Handle, 4.00

Improved Steak Hammer and Ice Pick.



TACKLE BLOCKS.





Rope Strapped Blocks, Hook and Thimble.

| | | and the sea | | | | | - | | | |
|------------------------|---------------|-------------|--------|---------|---------|---------|---------|---------|---------|-------|
| Length of Blocks, | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Inch |
| Diameter of Wheels, | 21 | 3 | 34 | 41 | 5 | 58 | 61 | 71 | 8 | 66 |
| Diameter of Rope, | $\frac{1}{2}$ | 8 | 4 | 7 | 1 | 1 | 11 | 11 | 11 | * * |
| Single, Iron Bushed, | \$0.80 | \$ 1.00 | \$1.20 | \$ 1.40 | \$ 1.60 | \$ 1.80 | \$ 2.25 | \$ 2.75 | \$ 3.50 | Each. |
| Double, Iron Bushed, | 1.40 | 1.75 | 2.10 | 2.45 | 2.80 | 3.30 | 4.00 | 5.00 | 6,00 | ** |
| Triple, Iron Bushed, | 1.75 | 2.10 | 2.45 | 2.80 | 3.50 | 4.50 | 5.50 | 6.50 | 7.50 | s 6 |
| Single, Roller Bushed, | 1.35 | 1.70 | 2.00 | 2.35 | 2.70 | 3.00 | 3.40 | 4,00 | 4,50 | 6.6 |
| Double, Roller Bushed, | 2.50 | 3.12 | 3.75 | 4.35 | 4.95 | 5.60 | 6.50 | 7.50 | 8.50 | 6.6 |
| Triple, Roller Bushed, | 3.36 | 4.25 | 5.12 | 5.88 | 6.75 | 7.62 | 8.75 | 10.25 | 11.50 | 44 |

Rope Strapped Blocks, Hook and Thimble. Thick Mortise.

| | , | **AAA GTT/ | THE PARTY DESC. | 777672 | THEOT. ITEM. |
|------------------------|----------------|---------------|-----------------|---------|--------------|
| Length of Blocks, | 9 | 10 | 11 | 12 | Inch. |
| Diameter of Wheels, | 5 1 | 61 | 7 | 71 | 44 |
| Diameter of Rope, | 11 | 18 | 11 | 11 | 6.6 |
| Single, Iron Bushed, | \$ 3.50 | \$4.00 | 8 4.50 | \$ 5.00 | Each. |
| Double, Iron Bushed, | 7.00 | 8.00 | 9.00 | 10.00 | 64 |
| Single, Roller Bushed, | 5.50 | 6,00 | 6.75 | 7.50 | 44 |
| Double, Roller Bushed, | 11.00 | 12.00 | 13.50 | 15.00 | 66 |
| | | | | | |

TACKLE BLOCKS.





Strapped Blocks, Loose Hook and Stiff Swivel.

| THOTHE TO THE | | F | | , | | | | | | | |
|------------------------|-------|---------|--------|--------|---------|---------|----------------|----------------|---------|-------|--|
| Length of Blocks, | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Inch. | |
| Diameter of Wheels, | 21 | 3 | 31 | 41 | 5 | 52 | $6\frac{1}{2}$ | $7\frac{1}{4}$ | 8 | 4.6 | |
| Diameter of Rope, | + | - | 8 | I A | 1 | 1 | 11 | 1 1 | 11 | 44 | |
| Single, Iron Bushed, | *1.04 | \$ 1.30 | \$1.60 | \$1.85 | \$ 2.14 | \$ 2.42 | \$ 2.66 | \$ 2.90 | \$ 3.25 | Each. | |
| Double, Iron Bushed, | 1.95 | 2.42 | 2.91 | 3.42 | 3.89 | 4.39 | 4.86 | 5.50 | 6.00 | 66 | |
| Triple, Iron Bushed, | 2.66 | 3.32 | 3.97 | 4.65 | 5.32 | 6.00 | 6.65 | 7.50 | 8.25 | 44 | |
| Single, Roller Bushed, | 1.47 | 1 85 | 2.22 | 2.61 | 2.95 | 3.32 | 3.70 | 4.25 | 4.60 | 66 | |
| Double, Roller Bushed | | 3,47 | 4.18 | 4.89 | 5.58 | 6.27 | 6.98 | 8.00 | 8.65 | 64 | |
| Triple, Roller Bushed, | | 4.86 | 5.89 | 6.89 | 7.84 | 8.85 | 9.83 | 11.25 | 12.35 | 44 | |
| | | | | | | 8.85 | 9.83 | | 12.35 | 44 | |

Awning Blocks, Rope Strapped.



Single, Double, Single,

Double,

28 32 28 28

3 31 4 Inch. 11/4 11/2 21 22 ets. Each. 14 14 16 18 20 14 44 16 36 40

Awning Blocks, Not Strapped.

| 11 | 11 | 2 | $2\frac{1}{2}$ | 3 | $3\frac{1}{2}$ | 4 | Inch. | 1000 |
|----|----|----|----------------|----|----------------|----|-------|------------|
| 11 | 11 | 11 | 12 | 14 | 16 | 18 | | ets. Each. |
| 00 | 90 | 00 | 0.4 | 98 | 32 | 36 | | 66 66 |

Plain Blocks, Not Strapped.

| | | | iro | n | Busn | lea | | | | | | | ROI | iei | Dus | 1166 | | | |
|-------|----|-------|-----|---|------|-----|------------|----|-------|-------|----|-------|-----|-----|-----|------|--------|-----|-------|
| 4 to | 9 | Inch, | | | | | \$ 0.10 pe | er | Inch. | 4 to | 9 | Inch, | | | | | \$0.18 | per | Inch. |
| 10 to | 11 | 66 | | | | | 0.14 | 66 | 66 | 10 to | 11 | 66 | | - | | | 0.25 | 64 | 66 |
| 12 to | 13 | 66 | | | | | 0.16 | 64 | 66 | 12 to | 13 | 44 | | | | | 0.27 | 44 | 46 |
| 14 to | | | | | | | 0.22 | 66 | 46 | 14 to | 15 | 46 | | | | | 0.32 | 44 | ** |

INDEX.

| FRONTISPIECE, View of Factory | at New I | Britain, | | | | | | | | | | | | | P | age |
|------------------------------------|-----------|----------|----|---|---|---|---|---|---|---|---|---|---|----|--------|-----|
| AUGER HANDLES | | | | | | | | | | | | | | | | |
| Awl Hafts and Handles, | | | | 4 | | | | | | | | | | | | 3 |
| Awls, Pegging and Sewing, | | | 9. | | | | * | | | | | | 4 | | | 3 |
| Mais, 1 egging and Sewing, | | • | | * | | | | | | | | | | | | 3 |
| BRAD AWL HANDLES. | | | | | | | | | | | | | | | | |
| Brad Awls, Handled, . | | | | | | | - | | | | | | | | | 3 |
| Bevels, Sliding T, | • | | | • | | | | | | | | - | | | | 3 |
| | | | | | • | | * | | | | | | - | | 22 and | 12 |
| CABINET MAKERS' CLAMPS, | | - | | | | | | | | | | | | | | 3 |
| Chalkline Reels and Awls, | | | | | | | | | | | | | | • | | 3 |
| Carpenters' Tool Handles, | | | | , | | | | | | | | | | | | 3 |
| Cattle Ties, | | | | | | | | | | | | * | | • | | 4 |
| Chisel Handles, . | | | | | | | | | | | ٠ | | • | | * | 3 |
| Compass Dividers, | | | | | | , | | | | | | - | | | | 1 |
| Countersinks, Wheeler's Patent, | | | | | | | | | | | | | | | * | |
| | | | | | | | | | | | | | | | | 2 |
| Door Stops, . | | | | | | | | | | | | | | | | 3 |
| GAUGES, | | | | | | | | | | | | | | | | |
| Gatona, | | - | | | | | | | | | | | | | 24 10 | 2 |
| HAMMER HANDLES, | | | | | | | | | | | | | | | | - |
| Hatchet Handles, . | | | , | | | | | | | | | | * | | * | 3 |
| Hand Screws, | | | | | | • | | | | | | * | | | | 3 |
| , | | | , | | - | | | | | | | | * | | * | 3 |
| LEVEL GLASSES, | | | | | | | | , | | | | | | | | 10 |
| MALLETS. | | | | | | | | | | | | - | | | | 11 |
| Mitre Squares, | * | | 4 | | | | | | | | | | | | 34 and | 1 3 |
| | | * | | | | | | | | - | | | | | | 15 |
| Miscellaneous Articles, Stanley's, | | | | | | | * | | | | | | | | | 1 |
| " Stearns', | | 4 | | - | | | | | | | | | | | | 15 |
| PLANES, Bailey's Patent, . | | | | | | | | | | | | | | | | |
| Plane-Irons, Bailey's Patent, | | | , | | | | - | | | | | | | | * | 28 |
| Plane Handles, | * | * | | | | * | | * | | | | | | 0 | | 28 |
| Pinking Irons, | | | , | | | | - | | | | w | | | | | 3 |
| Plumbs and Levels, | | | | | | - | | | | * | | | | | | 41 |
| Pocket Levels, | | | * | | * | | | | + | | | | | | 14 to | 18 |
| Plow, Miller's Patent Adjustable, | | | | | | | | | | | | | | 4. | | 16 |
| riow, miner's ratent Adjustable, | | | * | | • | | + | | | | | | 4 | | | 31 |
| Rules, Stanley's, | | | | | | | | | | | | | | | | |
| " Stearns', | | | | | | * | | | | - | | | | | 3 t | |
| | • | | | | | | | | | | | | | | 10 to | 18 |
| SASH FRAME PULLEYS, | | | | | | | | | | | | | | | | 40 |
| Sash Cord Irons, | | | | | | | | | | | _ | | | | | 40 |
| Scratch Awls, Handled, | | - | | | | | | | | | | | | | | 32 |
| Saw Handles, . | | | | | , | | | | | | | | | • | | 35 |
| Screw Drivers, . | | | | | * | | | | | | | | 4 | | - | 27 |
| Steak Hammers, | | | | | | | | - | | - | | * | | 4 | | 43 |
| Shoemakers' Hammers, | | | | | | | | | • | | • | | * | | * | 42 |
| Spoke Shaves, Bailey's Patent, | | | | | | | | | | * | | | | 4 | | |
| Spoke Shave Cutters, . | | | | | | | | | • | | | | | | | 30 |
| Trans Proces | | | | | | - | | | | | | | | | | 30 |
| TACKLE BLOCKS, | | | | | | | | | | | | | | | 44 and | 45 |
| Tack Hammers, | | | | | | | | | | | | | | | 42 and | |
| Trammel Points, | | | | | | | | | | | | | | | | 40 |
| Tool Handle and Tools, "Excelsion | or," | | | | | | | * | | | - | | - | | | 36 |
| Try Squares, | | | | | | | | | | | | | | | 20 and | |
| Try Square and Bevel, Patent Con | bination, | | | | | | | | - | , | - | | | | | 19 |
| UPHOLSTERERS' HAMMERS | | | | | | | | , | | - | | - | | • | | 10 |
| OF HUNDLERERS FIAMMERS, | | | | | | | | | 4 | | | | | | | 42 |
| VENEER SCRAPERS, . | | | | | | | | | | | | | | | | 0.5 |
| | - | | | | | * | | * | | | | * | | 4 | | 28 |

DISCOUNT SHEET.

STANLEY RULE & LEVEL COMPANY.

April 10, 1872.

| Catalogue P | ages. Discount per | | | | |
|-------------|------------------------------|-----|-----------|--------------------------------|----|
| 33 | Auger Handles, | | | PLUMBS AND LEVELS, | 50 |
| 37 | Awl Hafts and Handles, - | 20 | 18 | Plumbs and Levels, Iron Frame, | 15 |
| 37 | Awls, Pegging and Sewing, - | 20 | 18 | " Nicholson's Pat. | 15 |
| | | | 16 | Pocket Levels, Imp'd Patterns, | 40 |
| 32 | Brad Awl Handles, - | 20 | 31 | PLOWS, Miller's Pat. Adjusta- | |
| 32 | Brad Awls, Handled, | 20 | | ble, with Filletster, - | 15 |
| 23 | BEVELS, Sliding T, | 40 | 31 | ‡PLOW and Matching Plane | |
| 22 | " Improved | 15 | | Combined, | 15 |
| | | | | | |
| 38 | Cabinet Makers' Clamps, - | 20 | 3 to 8 | *RULES, Stanley's, | 25 |
| 32 | Chalk-line Reels and Awls, | 20 | 9 | Miscellaneous Articles, " | 25 |
| 37 | Carpenters' Tool Handles, | 20 | 10 to 13 | *RULES, Stearns', | 25 |
| 41 | Cattle Ties, | 20 | 12 | Miscellaneous Articles, | 25 |
| 33 | Chisel Handles, | 10 | | | |
| 16 | Compass Dividers | 15 | 40 | SASH FRAME PULLEYS, | 20 |
| 27 | Countersinks, Wheeler's Pat. | 20 | 40 | Sash Cord Irons, | 10 |
| | , | | 32 | Scratch Awls, Handled, - | 20 |
| 39 | Door Stops, No. 6, | 10 | 35 | Saw Handles | 20 |
| 39 | " " No. 8 and 9, | 25 | 27 | SCREW DRIVERS, Flat H'dl. | 20 |
| 99 | No. 6 and 5, | 20 | 27 | " Oval Handle, | 10 |
| 94 40 98 | GAUGES | 40 | 4:3 | Steak Hammers, | 10 |
| 24 10 20 | GAUGES, | 40 | 42 | Shoemakers' Hammers, | 10 |
| | | 4.0 | 30 | SPOKE SHAVES, Bailey's Pat. | 15 |
| - 33 | Hammer Handles, | 10 | 30 | Spoke Shave Cutters, " " | 15 |
| 5 | Hatchet Handles, | 10 | | | |
| 38 | HAND SCREWS, | 20 | 44 and 45 | TACKLE BLOCKS, - | 15 |
| | | | 42 and 43 | Tack Hammers, | 10 |
| 16 | Level Glasses, | 50 | 40 | Trammel Points, | 20 |
| 34 and 35 | MALLETS, Hickory, | 10 | 36 | Tool Handles, "Excelsior," | 10 |
| | " Lignumvitae, | Net | 21 | TRY SQUARES, No. 2, | 40 |
| 19 | Mitre Squares, Improved, | 15 | 20 | " Improved, | 15 |
| | | | 21 | Try Squares, Plumb and Level, | 40 |
| 28 | PLANES, Bailey's Patent, | 15 | 19 | " and Bevel Combined, | 15 |
| 29 | Plane Irons, " " - | 15 | 40 | Unbulatoreni Herrinan | 10 |
| 35 | Plane Handles, | 20 | 42 | Upholsterers' Hammers, | 10 |
| 41 | Pinking Irons, | 50 | 28 | Veneer Scrapers, Bailey's Pat. | 15 |
| | , | | | | |

DISCOUNT for Cash (IF PAID WITHIN 30 DAYS), 10 per cent.

TERMS CASH. Accounts unpaid Thirty Days from date of Invoice are subject to our Draft, payable at sight.

^{*} The List price of Rules No. 68, (Stanley's) and No. 41 (Stearns') is changed from \$3.50 to \$4.00 Per Doz. Also, the List Price of Rules No. 61, (Stanley's,) and No. 38 (Stearns') is changed from \$4.50 to \$5.00 Per Doz.

t We desire to direct especial attention to the low price of this superior tool.

